


tandem fenders



ROLLED FENDERS - ALUMINUM & STAINLESS STEEL

Aluminum & Stainless Steel Rolled Fenders

	PART NO.	WEIGHT	DESCRIPTION
Fig. 1	5001	35.4	.090 Smooth Aluminum w/Ribs
	5011	34.0	.090 Smooth Aluminum
	5021	42.9	.100 Diamond Plate Aluminum
	5031	47.1	.125 Smooth Aluminum
	5041	67.4	16 Gauge "Bright" Stainless Steel
Fig. 2	5002	33.0	.090 Smooth Aluminum w/Ribs
	5012	31.9	.090 Smooth Aluminum
	5022	38.3	.100 Diamond Plate Aluminum
	5032	44.2	.125 Smooth Aluminum
	5042	64.1	16 Gauge "Bright" Stainless Steel
Fig. 3	503	32.2	.090 Smooth Aluminum w/Ribs
	513	30.9	.090 Smooth Aluminum
	523	38.9	.100 Diamond Plate Aluminum
	533	42.7	.125 Smooth Aluminum
	543	61.2	16 Gauge "Bright" Stainless Steel
Fig. 4	5025	18.0	.090 Smooth Aluminum w/Ribs
	5026	17.4	.090 Smooth Aluminum
	5027	20.6	.100 Diamond Plate Aluminum
	5028	24.1	.125 Smooth Aluminum
	5029	34.9	16 Gauge "Bright" Stainless Steel
Fig. 5	5000	15.6	.090 Smooth Aluminum w/Ribs
	5010	15.1	.090 Smooth Aluminum
	5020	18.1	.100 Diamond Plate Aluminum
	5030	21.0	.125 Smooth Aluminum
	5040	30.4	16 Gauge "Bright" Stainless Steel
Fig. 6	5004	18.3	.090 Smooth Aluminum w/Ribs
	5014	17.6	.090 Smooth Aluminum
	5024	22.0	.100 Diamond Plate Aluminum
	5034	24.3	.125 Smooth Aluminum
	5044	34.8	16 Gauge "Bright" Stainless Steel
Fig. 7	505	9.2	.090 Smooth Aluminum w/Ribs

